

Department of Homeland Security (DHS) Office of Health Affairs (OHA)

Improving Survivability

Kathryn Brinsfield, M.D., M.P.H. Assistant Secretary for Health Affairs & Chief Medical Officer



Disclosure

I, Kathryn Brinsfield, DO NOT have a financial interest/arrangement or affiliation with one or more organizations that could be perceived as a real or apparent conflict of interest in the context of the subject of this presentation.







Workforce Health & Health Threats





Role in EMS









Life Saving Award





Stakeholder Engagement









Homeland

Security

1.19-

First Responder Guidance





First Responder Guide for Improving Survivability in Improvised Explosive Device and/or Active Shooter Incidents



Office of Health Affairs June 2015



Stop the Bleed

STOP THE BLEED

www.dhs.gov/stopthebleed



Bystander Forum





Worth the Effort





Training & Resources



www.naemt.org/education/B-Con/B-Con.aspx



Training & Resources



www.facs.org/publications/primers



Training & Resources



ccc.amedd.army.mil









Next Steps

COMPRESS

Expose to find where the bleeding is coming from and apply firm, steady, pressure to the bleeding site with bandages or clothing





TOURNIQUET

If the bleeding doesn't stop, **Place** a tourniquet 2-3 inches closer to the torso from the bleeding. (The tourniquet may be applied & secured over clothing).

Pull the strap through the buckle, Twist the rod tightly, Clip and secure the rod with the clasp or the Velcro strap.

+ One type of tourniquet is depicted.

COMPRESS AGAIN

If the bleeding still doesn't stop, **Place** a second tourniquet closer to the torso from first tourniquet.

Pull the strap through the buckle, **Twist** the rod tightly, **Clip** and secure the rod with the clasp or the Velcro strap

+ One type of tourniquet is depicted.







Next for OHA









Homeland Security

Healthaffairs@hq.dhs.gov

